WEST Search History

Hide liems Restore Clear Cancel

DATE: Wednesday, June 07, 2006

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count
	DB=U	ISOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
	L87	onix code near3 descriptor	0
	DB=P	PGPB,USPT; PLUR=YES; OP=ADJ	
	L86	onix code near3 descriptor	0
	DB=U	VSPT; PLUR=YES; OP=ADJ	
	L85	onix code near3 descriptor	0
	L84	L83 and @pd > 20050310	0
	L83	content near5 (descriptor or identifier) same rout\$3 adj3 table	9
	L82	content near5 rout\$3 same rout\$3 adj3 table	435
	DB=P	GPB,USPT; PLUR=YES; OP=ADJ	
	L81	L79 same rout\$3 adj3 table	20
	L80	L79 same trail	0
	L79	content-based near5 rout\$3	167
	L78	(redirecting or rout\$3 or propagt\$4) with content near5 request with (descriptor or identifier)	28
	L77	(redirecting or routing or propagt\$4) with content near5 request with (descriptor or identifier)	6
	L76	(redirecting or routing) near5 (request\$3 or propagat\$6) near5 content near5 (descriptor or identifier)	4
	L75	(request\$3 or propogat\$6) near5 content near5(descriptor or identifier)	766
	L74	table with content with (descriptor or identifier)	1664
	L73	rout\$4 wih table with content with (descriptor or identifier)	0
	L72	rout\$4 same table same content with (descriptor or identifier)	163
	L71	table same content with (descriptor or identifier)	2618
	L70	rout\$3 near\$4 table same content with (descriptor or identifier)	0
	L69	rout\$3 near\$4 table same content near5 (descriptor or identifier)	0
	L68	request\$3 near5 (web page or video or content) near5 descriptor same payload	5
	L67	L66 same attribute	10
	L66	request\$3 near5 content near5 descriptor	68
	L65	content near5 request\$3 same descriptor	238
	DB=P	GPB; PLUR=YES; OP=ADJ	
	L64	20020087659	1

DB=USPT; PLUR=YES; OP=ADJ				
	L63	daemon near5 re\$start\$4 near5 server	12	
	L62	daemon same re\$start\$4 same web server	3	
	L61	daemon with re\$start\$4 with web server	0	
	L60	daemon near5 re\$start\$4 near5 web server	0	
	L59	daemon nar5 re\$start\$4 near5 web server	0	
	L58	5923833.pn.	1	
	L57	L56 and @pd > 20041016	425	
	L56	(709/238).ccls.	1500	
	L55	(notif\$6 or advertis\$6) same(router or server or node) with rout\$3 near3 table (updated or modified or chang\$5)	6	
	L54	(notif\$6 or advertis\$6)with (router or server or node) with rout\$3 table chang\$5	0	
	L53	L52 and L33	4	
	L52	(709/239).ccls.	518	
	L51	(709/241).ccls.	203	
	L50	L49 and L47	13	
	L49	(709/217).ccls.	2605	
	L48	L47 same (server or node or web server)	39	
	L47	new adj3 (page or web page or content) near5 available	235	
	L46	(notif\$6 or advertis\$6) with (node or host or computer) with new adj3 (page or web page or content)	22	
	L45	(notif\$6 or advertis\$6) with (node or host or computer) with new adj3 (page or web page or content)with (transmit\$6 or send\$6 or propogat\$6 or transfer\$6)	1	
	L44	(notif\$6 or advertis\$6) same (node or host or computer) same new adj3 (page or web page or content)	96	
	L43	(notif\$6 or advertis\$6) same (node or host or computer) same new adj3 (page or web page or content) same (trail or rout\$3 table)	1	
	L42	request near4 register\$6 same (trail or rout\$3 table)	41	
	L41	(notif\$6 or advertis\$6) same new adj3 (page or web page or content) with (recived or available or located)	22	
	L40	(notif\$6 or advertis\$6) same new adj3 (page or web page or content) with (recived or available or located)	22	
	L39	(transmit\$6 or send\$4 or launch\$4 or advertis\$6)same new adj3 (page or web page or content) with available	45	
	L38	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request or message) same new adj3 (page or web page or content) with node	10	
	L37	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same new adj3 (page or web page or content) with available	8	
	L36	advertis\$6 same new near5 (content or page or web page)with available	16	
	L35	(transmit\$6 or send\$4 or launch\$4) with (register\$3 or request)with (new or chang\$3)near5 (content or page or web page)with available	4	

	L34	(transmit\$6 or send\$4 or launch\$4) with (register\$3 or request)with content with available	112			
	L33	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same content with available	517			
	L32	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same new content with available	3			
	L31	advertis\$6 same new content with available	3			
	L30	advertis\$6 with new content with available	1			
	L29	(transmit\$6 or send\$4) with content with (request or register\$6) same advertis\$6 same available	6			
	L28	(transmit\$6 or send\$4) same register\$6 with content same advertis\$6 same available	1			
	L27	(transmit\$6 or send\$4) same register\$6 near3 message with content same advertis\$6 same available	0			
	L26	(transmit\$6 or send\$4) with register\$6 near3 message with content same advertis\$6 same available	0			
	L25	L23 and L21	0			
	L24	L23 same L21	0			
	L23	(transmit\$6 or send\$4) with register\$6 near3 message with content	107			
	L22	advertis\$6 with content with available with node	0			
	L21	advertis\$6 with content with available	203			
	L20	advertis\$6 with content with available with (propogat\$4 or transmit\$6)	2			
	L19	advertis\$6 with content same available same (propogat\$4 or transmit\$6)	60			
	L18	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple	3			
	L17	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple near5 cop\$4	0			
	DB=PGPB; PLUR=YES; OP=ADJ					
	L16	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple near5 cop\$4	0			
	L15	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	17			
DB=USPT; PLUR=YES; OP=ADJ						
	L14	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	4			
	L13	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribue with content	0			
	L12	rout\$4 same content descriptor	6			
	L11	L9 and L7	3			
	L10	L9 same L7	1			
	L9	identif\$6 with attribute with content	457			
	L8	L7 same payload	2			
	L7	content same content descriptor	187			

END OF SEARCH HISTORY